Safety Data Sheet

Salely Data Sheet			
SECTION 1: Product and	company identification		
Product name	: VIROTAB		
Use of the substance/mixture	: Disinfectant		
Product code	: 0160		
Company	: Genesan, LLC 12 Bartlett Road Gorham , ME 04038 - USA T 877-854-0072		
Emergency number	: InfoTrac 800-535-5053		
SECTION 2: Hazards ide	ntification		
2.1. Classification of the sub	stance or mixture		
GHS-US classification			
Eye Irrit. 2A H319 STOT SE 3 H335			
Full text of H statements : see s	section 16		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS07		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: Causes serious eye irritation May cause respiratory irritation		
Precautionary statements (GHS	S-US) : Avoid breathing dust, fume Wash thoroughly after handling Use only outdoors or in a well-ventilated area Wear protective gloves, protective clothing, eye protection, face protection If inhaled: Remove person to fresh air and keep comfortable for breathing If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a POISON CENTER, a doctor if you feel unwell If eye irritation persists: Get medical advice/attention Store in a well-ventilated place. Keep container tightly closed Store locked up Dispose of contents/container to comply with local/regional/national/international regulations		

2.3. Other hazards	
Other hazards not contributing to the classification	: Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer.
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
SECTION 3: Composition/Informa	ition on ingredients
3.1. Substance	

Full text of H-phrases: see section 16

3.2. Mixture

Safety Data Sheet

Name	Product identifier	%	GHS-US classification
troclosene sodium	(CAS No) 2893-78-9	30 - 65	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
adipic acid	(CAS No) 124-04-9	10 - 35	Eye Irrit. 2A, H319
sodium carbonate	(CAS No) 497-19-8	2 - 12	Eye Irrit. 2A, H319

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures	: Take off immediately all contaminated clothing.
First-aid measures general	, , , , , , , , , , , , , , , , , , , ,
First-aid measures after inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention.
First-aid measures after skin contact	: Wash with water and soap. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Call a physician immediately. Rinse mouth with water. Drink plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and ef	
Symptoms/injuries	: Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Symptoms/injuries after inhalation	: This material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respiratory size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal.
Symptoms/injuries after skin contact	: Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer.
Symptoms/injuries after eye contact	: This material is irritating to the eye. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact.
Symptoms/injuries after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and shock may occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. Keep watching the victim. Probably mucosal damage may contraindicate to the use of gastric lavage.

SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media : Adapt extinguishing media to the environment. Water. MAJOR FIRE: Foam. Unsuitable extinguishing media : Use water only; no dry chemical, CO2 or Halon. Special hazards arising from the substance or mixture 5.2. Thermal decomposition may produce : Chlorine. nitrogen. Nitrogen trichloride. Cyanogen chloride, Reactivity unstabilized. carbon oxides. Phosgene. The product is non-reactive under normal conditions of use, storage and transport. Advice for firefighters 5.3. Firefighting instructions : Exercise caution when fighting any chemical fire.

5 5	6 6 7
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special protective equipment for fire fighters	: Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters.

Safety Data Sheet

Specific methods

: Using a 10% solution of sodium carbonate, thoroughly decontaminate fir-fighting equipment including all fire-fighting wearing apparel after the incident.

SECTION 6: Accidental release measures

SECTION 6: Accidental release		
	e equipment and emergency procedures	
General measures	: Evacuate unnecessary personnel.	
6.1.1. For non-emergency personnel		
Protective equipment	: Protective clothing. Ventilate the area thoroughly, especially low lying areas (basements, work pits etc.). Protective goggles. Gloves.	
Emergency procedures	: Avoid contact with skin and eyes. Prevent dust cloud formation.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment. Preve	int entry to sewers and public waters.	
6.3. Methods and material for contai	nment and cleaning up	
For containment	: Collect spillage.	
Methods for cleaning up	: Recover mechanically the product. Do not add water to spilled material. Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil, and other contaminated material and place into clean, dry containers for disposal. Do not close drums containing wet or damp material. Do not transport wet or damp material.	
6.4. Reference to other sections		
For further information refer to section 8	Exposure controls/personal protection" ".	
SECTION 7: Handling and stora	ge	
7.1. Precautions for safe handling		
Additional hazards when processed	: Where excessive dust may result, use approved respiratory protection equipment.	
Precautions for safe handling	 Wear eye protection, face protection, protective clothing, Protective gloves. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid dust formation. Avoid breathing dust. 	
Hygiene measures	: Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, inclu	iding any incompatibilities	
7.2. Conultions for sale storage, men		
	: Keep only in original container. Store in a dry place. Store in a well-ventilated place. Keep cool. Protect from sunlight. Keep container tightly closed.	
Storage conditions	: Keep only in original container. Store in a dry place. Store in a well-ventilated place. Keep cool.	
Storage conditions	: Keep only in original container. Store in a dry place. Store in a well-ventilated place. Keep cool. Protect from sunlight. Keep container tightly closed.	
Storage conditions Incompatible products Incompatible materials Storage temperature	 Keep only in original container. Store in a dry place. Store in a well-ventilated place. Keep cool. Protect from sunlight. Keep container tightly closed. acids. 	

Storage area

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Personal protective equipment	 Gloves. Protective clothing. Protective goggles. Use appropriate personal protective equipment when risk assessment indicates this is necessary.

Safety Data Sheet

SECTION 9: Physical and chemical p	SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical	9.1. Information on basic physical and chemical properties		
Physical state	: Solid		
Appearance	: White solid.		
Odor	: slight chlorine-like		
Odor threshold	: No data available		
рН	: 5.5 - 6.5 @ 20°C		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Solubility	: Soluble in water.		
Log Pow	: No data available		
Log Kow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: 225 - 250 °C		
Viscosity	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition may produce : Chlorine. nitrogen. Nitrogen trichloride. Cyanogen chloride, unstabilized. carbon oxides. Phosgene. The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas. NO contact with flammable substances.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

strong acids. Strong bases. Combustible materials. The active ingredient in this preparation is a strong oxidizing agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Also avoid contact with easily oxidizable organic material: ammonia, urea or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite and alkalis. Do not get water inside packaging.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Oral: Not classified.

sodium carbonate (497-1	9-8)			
LD50 oral rat	2800 mg/kg	(Rat; Experimental value)		
Date of issue: 4/12/2018	Revision date: 2/17/2017	Version: 1.1	P GHS SDS	Page 4 of 7

Safety Data Sheet

LD50 dermal rabbit > 2000 mg/kg (Rabbit; Experimental value) ATE CLP (oral) 2800.000 mg/kg body weight ATE CLP (oral) 500.000 mg/kg body weight ATE CLP (oral) 500.000 mg/kg body weight Skin corrosion/irritation : Not classified pH: 5.5 - 6.5 @ 20°C Causes serious eye irritation. pH: 5.5 - 6.5 @ 20°C Serious eye damage/irritation : Not classified Serior cell mutagenicity : Not classified Carcinogenicity : Not classified Specific target organ toxicity (single exposure) : Mot classified Specific target organ toxicity (single exposure) : Not classified Symptoms/injuries after inhalation : Not classified Symp	sodium carbonate (497-19-8)	
troclosene sodium (2893-78-9) ATE CLP (orai) 500.000 mg/kg body weight Skin corrosion/irritation : Not classified pH: 5.5 - 6.5 @ 20°C Serious eye damage/irritation : Causes serious eye irritation. pH: 5.5 - 6.5 @ 20°C Respiratory or skin sensitization : Not classified Serious eye damage/irritation : Not classified Causes serious eye intritation. : Not classified Serroductive toxicity : Not classified Specific target organ toxicity (single exposure) : May cause respiratory irritation. Specific target organ toxicity (repeated zyposure) : Not classified Symptoms/injuries after inhalation : Not classified Symptoms/injuries after inhalation : Not classified Symptoms/injuries after inhalation : Not classified Symptoms/injuries after skin contact : Not classified Symptoms/injuries after ski	LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Experimental value)
ATE CLP (oral) 500.000 mg/kg body weight Skin corrosion/irritation Not classified pH: 5.5 - 6.5 @ 20°C Serious eye damage/irritation Causes serious eye irritation. pH: 5.5 - 6.5 @ 20°C Respiratory or skin sensitization Not classified Serro cell mutagenicity Not classified Carcinogenicity Not classified Specific target organ toxicity (single exposure) May cause respiratory irritation. Specific target organ toxicity (repeated symptoms/injuries after inhalation Not classified Symptoms/injuries after skin contact Contact Symptoms/injuries after skin contact Contact with we material in and possibly burns of the mucous membranes. If signifficance index posure occurus, pulmonary oe	ATE CLP (oral)	2800.000 mg/kg body weight
Skin corrosion/irritation : Not classified Derivation : Causes serious eye irritation. Derivation : Causes serious eye irritation. Derivation : Not classified Serious eye initiation : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified Seproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Mot classified Specific target organ toxicity (repeated exposure) : Not classified Symptoms/injuries after inhalation : Not classified Symptoms/injuries after inhalation : This material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respiratory size are generality not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory track with coughing, choking, pain and possibly burns of the muccus membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, firthy synum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal. Symptoms/injuries aft	troclosene sodium (2893-78-9)	
pH: 5.5 - 6.5 @ 20°CSerious eye damage/irritation:Causes serious eye irritation. pH: 5.5 - 6.5 @ 20°CRespiratory or skin sensitization:Not classifiedGarm cell mutagenicity:Not classifiedCarcinogenicity:Not classifiedReproductive toxicity:Not classifiedSpecific target organ toxicity (single exposure):Not classifiedSpecific target organ toxicity (repeated synptoms/injuries after inhalation:Specific target organ toxicity (repeated synptoms/injuries after skin contact:Not classifiedSymptoms/injuries after skin contact:Not classifiedSymptoms/injuries after skin contact:Symptoms/injuries after skin contact:Symptoms/injuries after skin contact:Symptoms/injuries after skin contact:Direct contact with wet material is instating to move as servere irritation of the respiratory size are generally not encountered. The respiratory effects. 	ATE CLP (oral)	500.000 mg/kg body weight
Serious eye damage/irritation : Causes serious eye irritation. pH: 5.5 - 6.5 @ 20°C Respiratory or skin sensitization : Not classified Sern cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified Specific target organ toxicity (single exposure) : May cause respiratory irritation. Specific target organ toxicity (repeated exposure) : Not classified Symptoms/injuries after inhalation : Not classified Symptoms/injuries after inhalation : Not classified Symptoms/injuries after skin contact : Not classified Symptoms/injuries after skin contact : Not classified Symptoms/injuries after skin contact : Direct contact with wet material or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory respiratory source cause may be fatal. Symptoms/injuries after skin contact : Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer. Symptoms/injuries after eye contact : Direct contact with wet material o	Skin corrosion/irritation	: Not classified
pH: 5.5 - 6.5 @ 20°C Respiratory or skin sensitization : Not classified Gern cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : May cause respiratory irritation. Specific target organ toxicity (repeated exposure) : Not classified Symptoms/injuries after inhalation : Not classified Symptoms/injuries after inhalation : Not classified Symptoms/injuries after skin contact : Not classified Symptoms/injuries after skin contact : Direct contact with wet material or no symptoms any include tignificant or prolonged exposure occurs, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal. Symptoms/injuries after skin contact : Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer. Symptoms/injuries after skin contact : Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer. Symptoms/injuries after skin contact : Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry mate		pH: 5.5 - 6.5 @ 20°C
Respiratory or skin sensitizationNot classifiedGerm cell mutagenicityNot classifiedCarcinogenicityNot classifiedReproductive toxicityNot classifiedSpecific target organ toxicity (single exposure)May cause respiratory irritation.Specific target organ toxicity (repeated exposure)Not classifiedSpecific target organ toxicity (repeated exposure)Not classifiedSymptoms/injuries after inhalationNot classifiedSymptoms/injuries after inhalationThis material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respiratory size are generally not encountered. The respirable fraction for the tablet 	Serious eye damage/irritation	: Causes serious eye irritation.
Bern cell mutagenicityI Not classifiedCarcinogenicityNot classifiedReproductive toxicityNot classifiedSpecific target organ toxicity (single exposure)May cause respiratory irritation.Specific target organ toxicity (repeated exposure)Not classifiedSymptoms/injuries after inhalationI Not classifiedSymptoms/injuries after inhalationThis material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respiratory size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include toils rales, low blood pressure and high pulse pressure. Severe cases may be fatal.Symptoms/injuries after skin contactDirect contact with wet material or most skin may cause severe irritation, pain and possibly burns. Dry material is isritating to the eye. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including bindness. The degree of injury depends on the concentration and duration of contact.Symptoms/injuries after ingestionNot expected to present a significant ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discolation		pH: 5.5 - 6.5 @ 20°C
Carcinogenicity: Not classifiedReproductive toxicity: Not classifiedSpecific target organ toxicity (single exposure): May cause respiratory irritation.Specific target organ toxicity (repeated exposure): Not classifiedSymptoms/injuries after inhalation: Not classifiedSymptoms/injuries after inhalation: Not classifiedSymptoms/injuries after inhalation: This material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respiratory size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal.Symptoms/injuries after skin contact: Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is irritating to the eye. Direct contact may cause severe intilation, pain and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact.Symptoms/injuries after ingestion: Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if s	Respiratory or skin sensitization	: Not classified
Reproductive toxicity:Not classifiedSpecific target organ toxicity (single exposure):May cause respiratory irritation.Specific target organ toxicity (repeated exposure):Not classifiedAspiration hazard:Not classifiedSymptoms/injuries after inhalation:Not classifiedSymptoms/injuries after inhalation:Not classifiedSymptoms/injuries after inhalation:Not classifiedSymptoms/injuries after inhalation:Not classifiedSymptoms/injuries after skin contact:Direct contact with wet material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respiratory size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory track with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal.Symptoms/injuries after skin contact:Direct contact with wet material or moist skin may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact.Symptoms/injuries after ingestion:Not expecte	Germ cell mutagenicity	: Not classified
Specific target organ toxicity (single exposure): May cause respiratory irritation.Specific target organ toxicity (repeated exposure): Not classifiedAspiration hazard: Not classifiedSymptoms/injuries after inhalation: This material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respiratory size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal.Symptoms/injuries after skin contact: Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer.Symptoms/injuries after ingestion: Not expected to present a significant or point and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact.Symptoms/injuries after ingestion: Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be d	Carcinogenicity	: Not classified
 Specific target organ toxicity (repeated exposure) Not classified Not classified Symptoms/injuries after inhalation Inis material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respiratory size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant to prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal. Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Of the eye. Direct contact may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer. This material is irritating to the eye. Direct contact may cause severe injury depends on the concentration and duration of contact. Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. The effects on the oesophagus and gastorikestinal tract may range from irritation to tevere corrosion. Oedema of the epiglotis and shock may occur. 	Reproductive toxicity	: Not classified
Exposure)InstructionAspiration hazard: Not classifiedSymptoms/injuries after inhalation: This material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respiratory size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the muccus membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal.Symptoms/injuries after skin contact: Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer.Symptoms/injuries after ingestion: Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the muccus membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and shock may occur.	Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
 Symptoms/injuries after inhalation This material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respiratory size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal. Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer. This material is irritating to the eye. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact. Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and shock may occur. 	Specific target organ toxicity (repeated exposure)	: Not classified
 Particles of respiratory size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal. Symptoms/injuries after eye contact Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer. This material is irritating to the eye. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact. Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and shock may occur. 	Aspiration hazard	: Not classified
 burns. Dry material is less irritating than wet material. This material is not a skin sensitizer. Symptoms/injuries after eye contact This material is irritating to the eye. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact. Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and shock may occur. 	Symptoms/injuries after inhalation	Particles of respiratory size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse
 Symptoms/injuries after ingestion Symptoms/injuries after ingestion Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and shock may occur. 	Symptoms/injuries after skin contact	
use. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and shock may occur.	Symptoms/injuries after eye contact	possibly severe, and permanent damage including blindness. The degree of injury depends on
	Symptoms/injuries after ingestion	use. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and
Likely routes of exposure : Skin and eyes contact	Likely routes of exposure	: Skin and eyes contact

SECTION 12: Ecological information

12.1. Toxicity	
sodium carbonate (497-19-8)	
LC50 fish 1	300 mg/l (LC50; Other; 96 h; Lepomis macrochirus; Static system; Fresh water; Experimental value)
Threshold limit algae 1	242 mg/l (EC50; 5 days; Algae)
12.2. Persistence and degradability	
sodium carbonate (497-19-8)	
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil.
ThOD	Not applicable (inorganic)
12.3. Bioaccumulative potential	
sodium carbonate (497-19-8)	
Log Pow	-6.19 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

Safety Data Sheet

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Dispose of contents/container to comply with local/regional/national regulations.	
Waste disposal recommendations	: Do not remove as household garbage.	
Additional information	 Do not put product, spilled product, partially filled containers into the waste compactor. Contact with incompatible materials could cause a reaction and fire. Do not transport damp or wet material. Neutralize materials to a non-oxidizing state for safe disposal. 	

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT: Not r	egulated for transport
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3077
Proper Shipping Name (IMDG)	: Environmentally hazardous substance, solid, n.o.s. (Dichloroisocyanuric acid, salts)
Class (IMDG)	: 9 - Miscellaneous dangerous compounds
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: Can be shipped as a limited quantity when packed in inner or single packs \leq 5 kg.
Air transport	

Air transport	
UN-No. (IATA)	: 3077
Proper Shipping Name (IATA)	: Environmentally hazardous substance, solid, n.o.s. (Dichloroisocyanuric acid, salts)
Class (IATA)	: 9 - Miscellaneous Dangerous Goods
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin, or clothing. Avoid breathing dust. Wear chemical-resistant gloves and safety glasses or face shield when making up solution. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Training advice


: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Safety Data Sheet

NFPA health hazard	:	2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	:	0 - Materials that will not burn.
NFPA reactivity	:	0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.